




aerospace
climate control
electromechanical
filtration
fluid & gas handling
hydraulics
pneumatics
process control
sealing & shielding






Miniature Direct-acting Solenoid Valves

VA01 Series

10mm width








Miniature Direct-acting Solenoid Valves **VA01 Series**

10mm width









FOR SAFETY USE

Be sure to read the following instructions before use.

For common and individual instructions, refer to the text of this catalog.

The following safety precautions are provided to prevent damage and danger to personnel and to provide instructions on the correct usage of this product. These precautions are classified into 3 categories; "CAUTION", "WARNING" and "DANGER according to the degree of possible injury or damage and the degree of impendence of such injury or damage.

Be sure to comply with all precautions along with JIS B8370^(**1) and ISO 4414^(**2), as they include important content regarding safety.

∴ CAUTION

Indicates a potentially hazardous situation which may arise due to improper handling oroperation and could result in personal injury or property-damage-only accidents.

WARNING Indicates a potentially hazardous situation which may arise due to improper handling or operation and could result in serious personal injury or death.

⚠ DANGER

Indicates an impending hazardous situation which may arise due to improper handling or

operation and could result in serious personal injury or death.

(*1) JIS B8370: General Rules for Pneumatic Systems

(%2) ISO 4414: Pneumatic fluid power-General rules relating to systems

WARNING

●The applicability of vacuum equipment to the intended system should be judged by the pneumatic system designer or the personnel who determined specifications for such system.

As operating conditions for products contained in this catalog are diversified, the applicability of vacuum equipment to the intended system should be determined by the pneumatic system designer or the personnel who determined specifications for such system after conducting an analysis or testing as necessary.

The system designer shall be responsible for assuring the intended system performance and safety.

Before making a system, the system designer should thoroughly examine all specifications for such a system and also take into consideration the possibility of any trouble with the equipment.

The vacuum equipment should be handled by persons who have sufficient knowledge and rich.

Inproper handling of compressed air and vacuum will result in danger.

Assembling, operation and maintenance of machinery using vacuum equipment should be performed by persons who have sufficient knowledge and rich experience.

- Never operate machinery nor remove the equipment until safety is assured.
 - · Befor cheking or servicing machinery and equipment, be sure to check that steps for prevention of dropping or runaway of the driven component have been completely taken.
 - When removing the equipment, make sure that the above-mentioned safety measures have been done beforehand. Then turn off air supply and power to the system and purge compressed air in the system.
 - · When restarting machinery and equipment, check that proper prevention of malfunction has been provided for and then restart carefully.
- When using the vacuum equipment in the following conditions or environments, take the proper safety measures and consult KURODA Pneumatics beforehand.
 - Conditions and environments other than specified and outdoor use.
 - · Applications to nuclear power equipment, railroads, aircraft, vehicles, medical equipment, equipment connected with food and drink, amusement facilities and safety devices such as emergency interruption devices, clutch/brake circuits for a press and the likes.
 - Applications which require extreme safety and will also greatly affect men and property.



SOLENOID VALVES FOR VACUUM/COMMON INSTRUCTIONS



Be sure to read them before use.

Also refer to Par. "For Safety Use" and instructions mentioned for each series of solenoid valves.

DESIGN



WARNING

 Power failure and trouble of air supply will lead to vacuum down; this sometimes results in an accident.

Take a safety measure against such accident.

If vacuum pad loses its sucking force due to vacuum down, the workpiece being carried will drop, endangering the human body and machine. Provide prevention against the drop of a workpiece or take a proper safety measure.

· Do not use for emergency shutoff valves.

Solenoid valves listed in this catalogue are not designed for use in emergency shutoff valves and other safety applications.

When using the solenoid valve for such applications, provide an independent means to assure safety.

· Exhausting residual air

Provide a residual air exhausting function in due consideration of maintenance and inspection.

Use in vacuum

In order to prevent sucking foreign matters from the suction pad and exhaust port, provide an inline filter and air muffler between the suction pad and solenoid valve and at the exhaust port.

· Applying current continuously for long time

When using a solenoid valve while applying current to it continuously for a long period of time, contact KURODA Pneumatics beforehand.

· Remodeling the solenoid valve

Do not remodel the solenoid valve.




CAUTION

Leak current

When a C-R element is used in the contact protective circuit (surge voltage protection), leak current will flow through the C-R element.

If this leak current becomes large, a malfunction will occur.

Therefore, reduce leak current to less than 1 mA.



DESIGN



CAUTION

· Use at low temperature

When using a solenoid valve at 5°C or below, provide an air dryer or other proper means to prevent moisture from solidifying or freezing.

· Shock and vibration

Reduce shocks and vibrations applied to the solenoid valve to less than the prescribed value. (refer to specifications.)

Applying shocks and vibrations exceeding the prescribed value may rsult in a malfunction of the solenoid valve.

SELECTION



WARNING

· Check the specifications.

Solenoid valves listed in this catalog are designed for vacuum or compressed air. Avoid using other fluid than vacuum or compressed air. Do not use a solenoid valve at any pressure and temperature outside the range of specifications, otherwise resulting in a breakdown or malfunction.



SOLENOID VALVES FOR VACUUM/COMMON INSTRUCTIONS (2)



Be sure to read them before use.

Also refer to Par. "For Safety Use" and instructions mentioned for each series of solenoid valves.

MOUNTING



WARNING

· When mounting the solenoid valve, firmly fix it while using care to prevent the stationary part and joint from loosening.

If the solenoid valve is mounted with insufficient strength, it may sometimes come off.

· Do not start the system until it is ensured that equipment works properly.

After mounting the solenoid valve, connect power supply and then perform a functional test and a leak test. Check that it has been correctly mounted and works properly, before starting the system.

· Coating with paint

When coating the resin portion with paint, it may be adversely affected by paint and solvent. For the propriety of painting, contact KURODA Pneumatics beforehand.

Do not peel off the nameplate affixed on the solenoid valve and do not erase or smear out the letter on it.

· Provide space for maintenance and inspection.



CAUTION

· Do not wipe off the model name inscribed on a nameplate etc, with organic solvent.

The inscribed indication may be erased.

· Fit an air muffler to the exhaust port of the solenoid valve.

Dust or foreign matter that enters it may cause a malfunction of the solenoid valve

PIPING



CAUTION

· Avoid spiral pipe laying.

When spiral pipe laying is used in a vacuum line, it may sometimes delay attaining vacuum due to the resistance of piping or cause vacuum down at the suction end; resulting in the malfunction of the vacuum sensor.

· For manifold with solenoid valves, pay attention to piping diameter.


When increasing the number of manifold stations, flow may be insufficient according to circumstances. In this case, supply and exhaust air from both sides of the manifold.

· Before piping

Thoroughly flush the inside of each pipe to remove chips, coolant, dust, etc. before piping.


· How to wind a seal tape

When winding a seal tape around the threaded portion, leave space of 1.5 to 2 thread turns.



How to apply liquid sealant

When applying liquid sealant to the threaded portion, apply a proper mount to about 1/3 of the periphery of the threaded portion and then screw it.



· Avoid wrong piping.

When connecting a pipe to each equipment, be careful not to mistake the supply port etc. by referring to the nameplate afixed to the product or the product catalog.



SOLENOID VALVES FOR VACUUM/COMMON INSTRUCTIONS (3)



Be sure to read them before use.

Also refer to Par. "For Safety Use" and instructions mentioned for each series of solenoid valves.

PIPING



CAUTION

· Screw of pipe and joint

When screwing the pipe and joint, use care to prevent chips and sealant from entering the pipe and joint.

Tighten them within a proper range of tightening torque.

Port size	Tightening torque (N·m)
M3	0.3~0.5
M5	1.5~2.0
R, Rc ¹ / ₈	7.0~9.0
R, Rc ¹ / ₄	12~14

APPLICABLE TUBES



CAUTION

· Used nylon tubes or polyurethane tubes made by KURODA Pneumatics for Instant Joints, When using tubes made by other companies, check the diametral accuracy.

There are some commercially available tubes that do not satisfy the specified diametral accuracy.

• Do not extremely bend the tube near the joint; otherwise resulting in the break or bucking of the tube.

When using the tube with it bent, use at more than minimum

· When using with other fluid than air, consult KURODA Pneumatics.

CONNECTION AND DISCONNECTION OF TUBE



CAUTION

How to connect a tube

- When using a tube, cut it at right angles axially with the special tool (Tube Cutter/TC-16). Cutting it with scissors or nippers to cause a deformation may result in air leak or coming off.
- Fully insert the tube up to the tube end.
- Pull the tube lightly and check that it does not come off from the joint.

How to disconnect a tube

- Pull out the tube while pushing the release ring in paralle. Before pulling out the tube, be sure to discharge residual pressure.
- When reusing the disconnected tube, cut off the bitten portion of the tube.

WIRING



WARNING

· When doing wiring work, be sure to turn off compressed air, vacuum and power supplies beforehand.

Wiring work without turning off air, vacuum and power supplies may cause an electric shock or malfunction, this sometimes results in an injury to the human body or a domage to property.

· Avoid mis-wiring.

Some solenoid valves have polarity: Those operating on DC with built-in indicator light and those equipped with surge protective circuit.

When wiring to a solenoid valve, check whether or not it has polarity.

For a solenoid valve having polarity, check the lead wire color and symbol of the polarity by the catalog or actual article beforehand and then make correct wiring.

· Avoid applying stress and tensile force to lead wire repeatedly.

Wiring made in such a manner that stress and tensile force are repeatedly applied to the lead wire will result in the breaking of wire. Provide some degree of margin for wiring.

· Check that there is no insulation failure.

If an insulation failure occurs in the lead wire connection. extension cable and terminal base, an excess flows to the switching element of the solenoid valve or control unit, sometimes resulting in a damage.

· Do not mistake applied voltage.

Mistake in applied voltage in case of wiring to a solenoid valve will cause an operation failure or burn out the coil.

- · After completion of wiring, check for wrong connection before turning on power.
- · Do not supply power at the same time.

Do not supply power to both double solenoid type valve and latch type solenoid valve at the same time.



SOLENOID VALVES FOR VACUUM/COMMON INSTRUCTIONS (4)



Be sure to read them before use.

Also refer to Par. "For Safety Use" and instructions mentioned for each series of solenoid valves.

OPERATING ENVIRONMENTS



DANGER

· Do not use solenoid valve in a explosive environment.



WARNING

- · Do not use a solenoid valve in atmospheres containing corrosive gases, chemicals, seawater, water and vapor and in places where a solenoid valve contacts these matters.
- Do not use a solenoid valve in a place where vibrations or shocks are directly applied to it.
- · When a solenoid valve is exposed to the direct sunlight, fit a protective cover to the solenoid valve.
- · When a solenoid valve is located around a heat source, shut off the radiant heat.
- When installing a solenoid valve in the control panel, take proper heat-radiating measures so that the inside temperature may be kept within the specified temperature range.
- · When using a solenoid valve in a place where it is exposed to welding spatters, provide a protective cover or other proper prevention.

Welding spaters may burn out the plastic parts of the solenoid valve, sometimes resulting in a fire.

QUALITY OF AIR



WARNING

· Use pure air.

Compressed air containing corrosive gases, chemicals, salt, etc. causes a breakdown or operation failure. So do not use such air.




CAUTION

- Fit an air filter with filtration of 5 μ m or fine.
- · Install an air dryer.

Compressed air containing much drainage causes the operation failure of pneumatic equipment. Install and air dryer, lower the temperature and reduce drainage.

· Take proper countermeasures against sludge.

If sludge produced in compressor oil enters pneumatic equipment, it will cause the operation failuse of pneumatic equipment. it is recommendable to use compressor oil (NISSEKI FAIRCALL A68, IDEMITSU DAPHUNY SUPER CS68) featuring minimized sludge production or use a coalescing filter to prevent sludge from entering the pneumatic equipment.



MAINTENANCE AND INSPECTION



WARNING

· Inspection before maintenance

First check that load drop prevention has been provided. Then shut off air and power supplies to the system and exhaust residual air in the system beforehand.

Inspection after maintenance

When restarting the system, check that preventive measures against flying-out of the actuator have been taken. Then connect compressed air supply to the pneumatic system, and perform a proper functional test and a leak test to check that it works safely without fail, before starting the system.

· Operation at low frequency

To prevent an operation failure, perform the switching action of the solenoid valve once per 30 days. (Be careful of air supply.)

· Manual operation

When the solenoid valve is manually operated, the system connected to it is also operated. Make sure safety before operation.

· Disassembly of solenoid valve

When disassembling the solenoid valve, contact KURODA Pneumatics beforehand.



CAUTION

Draining

To keep the quality of air to a certain level, drain the air filter at periodical intervals.

· Chek and clean the vacuum filter and silencer everyday, and also change the element periodically.

Silting will deteriorate the performance.



VA01 SERIES/INDIVIDUAL INSTRUCTIONS (1)



Be sure to read them before use. Also refer to Par. "For Safety Use" and common instructions.

MOUNTING




CAUTION

· When valve is mounted on sub-base or manifold, tighten set screws by the following clamping torque.

Valve No.	Screw size	Tightening torque (N·m)
VA01PSV23		
VA01PSP23	M1.7	0.10~0.14
VA01PLV23	M1.7	0.10~0.14
VA01PLP23		
VA01PEP34A		0.12~0.20
VA01RDP33		0.12~0.20
VA01PSC24		0.12~0.20
VA01PLC24	IVIZ	0.12~0.20

ELECTRICAL WAVEFORM

· In order to realize quick response time, electrical waveform of VA01PSV23, VA01PSP23 and VA01PEP 34A are the following.



SIMULTANEOUS ENERGIZING



CAUTION

· Do not energize terminal 12 and 14 at the same time in case of using latching solenoid valve.

Latching solenoid valve has interlock circuit. In case of simultaneous energizing, the switching position is held, however, please note that indicator light is sometimes switched on. For example, if electricity is turned on for terminal 12 (green), and

then it is turned on for terminal 14 without turning off for terminal 12, valve keeps the air way position of terminal 12 side, however, indicator light of terminal 14 (red) side might be switched on. In this case, turn off electricity for terminal 14 and indicator light of terminal 12 side will be switched on.

CONTINUOUS ENERGIZING



WARNING

· Do not energize continuously for long time to VA01PS 23/24 (standard) and VA01PL 23/24.

In case of continuous energizing to the valve or continuous operating in short tact time, solenoid will generate heat, and seal and gasket will be damaged.

Therefore, air leak or wrong operation might be caused.

If continuous energizing or continuous operating in short tact time operation is necessary for those valves, please contact KURODA Pneumatics.



CAUTION

· Latching solenoid valve requires no continuous supply of power.

After switching by pulse signal, that position is held until reverse direction signal is input. However, set input signal at minimum required energizing time (50ms) or over.

VACUUM BREAK ON VA01PEP34*A*



CAUTION

· Vacuum break with low air pressure

If operating pressure is less than 0.05MPa, enough vacuum break pressure will not output because of air leakage from atmospheric release port. (VA01PEP34A type valve has atmospheric release port, and leakage from atmospheric release port is originally on the assumption.)

KEEPING VACUUM PRESSURE



CAUTION

· The solenoid valve cannot keep vacuum pressure for a long period of time when electricity is OFF.

As the solenoid valve is designed to allow a certain small degree of air leak, it cannot be used to keep vacuum pressure for a long period of time during electrical power is not supplied to the valve.



VA01 SERIES/INDIVIDUAL INSTRUCTIONS 2



Be sure to read them before use.

Also refer to Par. "For Safety Use" and common instructions.

WIRING SPECIFICATIONS

L type

Lead wire (AWG26 length 300 mm)



P type

Connector with lead wire (AWG26 length 500 mm), side outlet (with indicator light & surge suppressor)



U type


Connector with lead wire (AWG26 length 500 mm), upside outlet (with indicator light & surge suppressor)




CAUTION

- Make connection by adjusting polarity to to ⊕ and ⊝ signs on the lamp cover.
- VA01PL 23, VA01PLC/RLC24

NPN type




PNP type




INTERNAL CIRCUIT OF P & U TYPE


VA01PSP23/VA01PSV23/VA01PEP34A



VA01PSC24/VA01RDP33



VA01HPSC24





VA01 SERIES/INDIVIDUAL INSTRUCTIONS



Be sure to read them before use.


Also refer to Par. "For Safety Use" and common instructions.

RELATION BETWEEN INPUT ELECTRIC SIGNAL AND VALVE OUTPUT



CAUTION

 Relation between input electric signal and valve output is as follows:



- <Power supply and connection of solenoid valve>
- VA01PL 23
- ① Power is supplied to red (+) lead wire and yellow (-) lead wire.


 Port 1 will be closed.



Light green indicator light

②Power is supplied to red (+) lead wire and black (-) lead wire.

Air way is connected between port 1 and port 2.




Light red indicator light

VA01PLC/RLC24


① Power is supplied to red (+) lead wire and yellow (-) lead wire.

Air way is connected between port 1 and port 2,
and port 4 and port 3/5.



Light green indicator light

②Power is supplied to red (+) lead wire and black (-) lead wire. Air way is connected between port 1 and port 4, and port 2 and port 3/5.



Light red indicator light

MANUAL OPERATION




CAUTION

- If valve is manually operated, the application will be started. Confirm that there is no problem or danger on the application before manual operation of valve.
- VA01PL


 23 valve is switched the air way position by the following manual operation.
- 1) Push blue manual button on the valve body.

Port 1 will be closed.




2 Push white manual button on the valve body.

Air way is connected between port 1 and port 2.




- VA01PLC/RLC24 valve is switched the air way position by the following manual operation.
- ①Push manual button "a" (blue) on the valve body.


Air way is connected between port 1 and port 2, and port 4 and port 3/5.



②Push manual button "b" on the valve body.

Air way is connected between port 1 and port 4, and port 2 and port 3/5.







VA01 SERIES/INDIVIDUAL INSTRUCTIONS



Be sure to read them before use.
Also refer to Par. "For Safety Use" and common instructions.

OPERATING PRINCIPLE OF LATCH TYPE SOLENOID VALVE


Supplying power to Control Circuit 12

When turning on Contact A and supplying power to Control Circuit 12, force FA is generated to separate the movable iron core from the fixed iron core.

Force to which spring force f is added exceeds the attractive force FM of the permanent magnet, thereby separating the movable iron core from the fixed iron core by the force of F=FA+f=FM.

· No supplying power to Control Circuit 12

When turning off Contact A with the movable iron core separated from the fixed iron core, the movable iron core holds that state by spring force f.




· Supplying power to Control Circuit 14

When turning on Contact B and supplying power to Control Circuit 14, force FB is generated to attract the movable iron core to the fixed iron core.

Force to which the attractive force FM of the permanent magnet is added exceeds the spring force, and thus the movable iron core is attracted to the fixed iron core by the force of F=FB+FM-f.

• No supplying power to Control Circuit 14

When turning off Contact B with the movable iron core attracted to the fixed iron core, the movable iron core is kept attracted by the permanent magnet.



For vacuum and positive pressure control/ blow off operation




Miniature size 3-port 2-position direct-acting solenoid valve

VA01PSV23 for vacuum VA01PSP23 for positive pressure

Miniature size 3-port 2-position direct-acting latching solenoid valve

VA01PLV23 for vacuum VA01PLP23 for positive pressure



Two types of models for vacuum control (white body) and positive pressure (black body)

Easy to figure out vacuum control or positive pressure valve from valve body color.

Ultra quick response time

Response time of latch type solenoid is 2ms and single solenoid is 3ms for turning on. Reliable stable operation is available. (VA01PSV23-1_R/VA01PSP 23-1_R)

Renewal electric circuit make response time up. Valve react high response by order.

Low power consumption

New single solenoid valve mount low energy circuit and low power consumption is realized. Hold is 1W (Inrush: 2W).

Keep the solenoid heat as low temperature and apply continuous energizing.

Compact valve is large flow (Cv 0.054).

Compact, light weight and large flow

Very compact plastic body in 10mm width, weighting only 25g. (with sub-base) Light and compact valve contribute for compact and light unit when valves are mounted on mounting head.

Oil free type is standardized. Extremely low particle.

The original poppet structure, which as no friction parts without lubricating oil, realizes the extremely low particle from the valve.

One coil latch type solenoid

Newly developed one coil latch type solenoid is incorporated!

Detent mechanism to hold switching position with permanent magnet in one coil solenoid assures safety operations such as keeping suction by vacuum.

VA01PS/LV23 for vacuum VA01PS/LP23 for vacuum break (positive pressure)

Poppet seal/Sub-base piping type





Specifications

Model No.		Unit	VA01PSV23	VA01PSP23	VA01PLV23	VA01PLP23
Fluid			Vacuum	Non-lubricated air	Vacuum	Non-lubricated air
Port size		M5				
Sonic conductance (C) dm³(s•bar		dm³(s•bar)	0.2	0.12	0.2	0.12
Effective area (Reference)		mm ²	1.0	0.6	1.0	0.6
Cv value (Reference)			0.054	0.033	0.054	0.033
Pressure range		-100~0kPa	0~0.5MPa	-100~0kPa	0~0.5MPa	
Ambient temperature		°C	− 10~50		-5~50	
Response	ON	ms	3			3
time	OFF	ms	3			_
Min. energizing time		ms	_		50	
Shock resistance/vibration resistance m/s ²		m/s ²	150/50		150/50	
Mass g		g	25		30	

⁽Note) • When using the valve for vacuum break at less than 5°C by supplying compressed air, use dry air passing through an air dryer to prevent dew condensation and freezing.

Electrical Specifications


Model No.	Unit	VA01PSV23	VA01PSP23	VA01PLV23	VA01PLP23
Rated voltage	V	DC24			
Allowable voltage fluctuation	%	±10			
Heat resistance grade		JIS grade B			
Power consumption	W	1 (Holding), 2 (Inrush)		2	2
Wiring	g	Lead wire, connector with lead wire		Connector w	vith lead wire

Ordering instruction



VA01 PSV23 - 1 L - L5

1 Function



PLP23: 2 position latching solenoid/for vacuum break

1:Pressure port 2:Output port 3:Exhaust port

2 Voltage

1 DC24V

③ Wiring specifications● Case of VA01PS 23

	Ouse of vacif on 20		
L	Lead wire		
PR	Connector with lead wire, Side outlet (With indicator light & surge suppressor)		
UR	Connector with lead wire, Upside outlet (With indicator light & surge suppressor)		

● Case of VA01PL 23

NPN type

Р	Connector with lead wire, Side outlet (With indicator light & surge suppressor)
U	Connector with lead wire, Upside outlet (With indicator light & surge suppressor)

PNP type

	· ·
РМ	Connector with lead wire, Side outlet (With indicator light & surge suppressor)
UM	Connector with lead wire, Upside outlet (With indicator light & surge suppressor)

4 Wiring accessories


No mark	Without connector
Е	Connector with lead wire (Length : 500mm)

⑤ Port size

No mark	Without sub-base
L5	M5×0.8 (Sub-base with mounting screw hole, M3)

(Note) Model without sub-base is provided with mounting screws and a base gasket.

Manifold



1 Number of stations

2	2stations
:	÷
10	10stations

2stations M5

2 Type of valve

	P⊡V23 for vacuum
РЗ	P□P23 for positive pressure

3 Manifold specifications

CC Common SUP, common EXH

4 Port size

M5 M5×0.8


Blank plate (with 2 screws and a gasket)

	(=
Model No.	V23-BP


Connector with lead wire

Lead wire length	Mode	el No.
Lead wife length	PSV/PSP	PLV/PLP
500mm	PC2-D24-CL5 (Standard)	PCL2-D24-CL5 (Standard)
1000mm	PC2-D24-CL10	PCL2-D24-CL10
3000mm	PC2-D24-CL30	PCL2-D24-CL30

Ordering instruction




Dimensions (Unit:mm)



Dimensions


Manifold (Unit:mm)




For vacuum, positive pressure control/blow off **((c operation** and air cylinder control operation

Miniature size 4-port 2-position direct-acting solenoid valve


VA01PSC24 Single solenoid, Sub-base piping type
VA01PLC24 Latching solenoid, Sub-base piping type
VA01RSC24 Single solenoid, In-line piping type
VA01RLC24 Latching solenoid, In-line piping type



VA01PSC24/RSC24



VA01PLC24/RLC24



- Exceedingly long life. 500 million cycles. (Under the test condition of KURODA Pneumatics.)

 The reliable double poppets structure, which has the reliance over many years in "PC1 series" is applied.
- Ultra quick response time/Stable operation

 Balanced poppets and direct solenoid mechanism make it available for quick and stable response time.

 (Latch solenoid type: ON/OFF 2±1ms, Single solenoid type: ON/OFF 3±1ms (VA01HPSC24). Under the test
- Compact/Light weight/Large flow
 Compact valve (Body width 10mm) is possible to operate large flow (C value 0.2dm³/(s·bar). Furthermore, resin body
 (Sub-base type) realizes light weight. (Single solenoid type with sub-base: 33.5g)
- Both vacuum and positive pressure are available.

 Balanced poppets structure operates both vacuum and positive pressure (-100kPa~0.8MPa) in one valve.
- Oil free is standardized, and extremely low particle. Clean !!

 Double poppets structure, which has no friction parts without lubricating oil, realizes the extremely clean air blow. Furthermore, the direct operated solenoid has no valve breathing and pilot air exhaust, and the valve does not pollute outside environment.
- One coil latch type solenoid

condition of KURODA Pneumatics.)

Newly developed one coil latch type solenoid realizes more compact valve body. (20% less volume. Ratio of KURODA Pneumatics)

Detent mechanism, which holds the air switching positions by permanent magnet, is ideal for keeping vacuum position in case of power cut.

4-port 2-position direct-acting solenoid valve (ϵ VA01PSC24/PLC24

Poppet seal/Sub-base piping type



Specifications

Model No.		Unit	VA01PSC24	VA01HPSC24	VA01PLC24
Fluid			Non-lubricated air		
Port size			M5		
Sonic cond	uctance (C)	dm³/(s·bar)	0.2		
Critical pres	ssure ratio		0.3		
Effective are	a (Reference)	mm ²		(1)	
Cv value (R	eference)		(0.05)		
Ambient ter	nperature	°C	− 5~50		
Pressure ra	nge		−100kPa~0.8 MPa		
Response ON		mo	4.5	3	2
time	OFF	ms	1 (4.5)	1.5	2
Manual ove	rride			Non-lock type push button	
Min. energi	zing time	ms	— 50		50
Mounting p	osition		Free		
Shock resistance	vibration resistance	m/s ²	150/30		
Mass		g	33.5 36.0		

(Note) • Sonic speed conductance, critical pressure ratio, effective area and Cv value shown above are value between port 1 and 4.


- When temperature of valve site gose down below 5°C, complete dry air shall be supplied to prevent from freezing.
- Responce time in bracket () shows with surge suppressor.

Electrical Specifications

Model No.	Unit	VA01PSC24	VA01HPSC24	VA01PLC24
Rated voltage	V		DC24	
Allowable voltage fluctuation	%	±10		
Power consumption	W	2	4	2
Heat resistance grade		JIS grade B		
Wiring		Lead wire, Connector with lead wire Connector with lead wire		
Surge suppressor		Diode Varistor		istor
Indicator light		LED		


(Note) • Surge suppressor and indicator light are not available for Lead wire type.

Ordering instruction




1 Function

VA01PSC24 : Standard VA01HPSC24 : Quick response



VA01PLC24 : Standard



2 Voltage

1 DC24V

③ Wiring specifications

● Case of VA01PSC24, VA01HPSC24

L	Lead wire
Р	Connector with lead wire, Side outlet (With indicator light & surge suppressor)
U	Connector with lead wire, Upside outlet (With indicator light & surge suppressor)

■ Case of VA01PLC24

NPN type

Р	Connector with lead wire, Side outlet (With indicator light & surge suppressor)
U	Connector with lead wire, Upside outlet (With indicator light & surge suppressor)

PNP type

РМ	Connector with lead wire, Side outlet (With indicator light & surge suppressor)
UM	Connector with lead wire, Upside outlet (With indicator light & surge suppressor)

4 Wiring accessories

No mark	Without connector
E	Connector with lead wire (Length:500mm)

5 Port size


No mark	Without sub-base
МЗ	Without sub-base, M3X0.5 body ported for manifold MFU type only
M5	M5×0.8 (Sub-base with mounting screw hole, M2)
L5	M5×0.8 (Sub-base with mounting screw hole, M3)

Connector with lead wire


Lead wire length	Mode	Model No.	
Lead wife length	PSC	PLC	
500mm	PC2-D24-CL5 (Standard)	PLC2-D24-CL5 (Standard)	
1000mm	PC2-D24-CL10	PLC2-D24-CL10	
3000mm	PC2-D24-CL30	PLC2-D24-CL30	

Constructions

VA01PSC24



VA01PLC24




Main components

No.	Description	Material
1	Body	Synthetic resins
2	Poppet ass'y	_
3	Manual override 14	Copper alloy
4	Manual override 12	Synthetic resins
(5)	Solenoid ass'y	_
6	Sub-base	Aluminium alloy
7	Valve seat E	Copper alloy
8	Valve seat S	Copper alloy
9	Spring V	Stainless steel
10	Spring	Stainless steel
11	Base gasket	NBR+Stainless steel


Dimensions

VA01PSC24-1%E-M5, VA01HPSC24-1%E-M5 (Sub-base with mounting screw hole, M2)




Dimensions

VA01PSC24-1%E-L5, VA01HPSC24-1%E-L5 (Sub-base with mounting screw hole, M3)




Dimensions

VA01PLC24-1%E-M5 (Sub-base with mounting screw hole, M2)



Dimensions

VA01PLC24-1 % E-L5 (Sub-base with mounting screw hole, M3)





MF - V01




Manifold specifications

		MFS		MFD		
Type of manifold		Common SUP, Common EXH Ports 2 & 4 on side		Common SUP, Common EXH Ports 2 & 4 on side		
Port 1		M5 (Both sides)	Rc1/8(Both sides)	Rc1/4 (One side)		
Port size	Port 3/5	M5 (Both sides)	Rc1/8(Both sides)	Rc1/4 (One side)		
	Port 2, 4	M3	M5	M5		
Number of stations			2~20			
VA01			VA01PS0	C24		
Mountable solenoid valve		VA01HPSC24				
		VA01PLC24				
Blank plate		PC1-BP				

Ordering instruction





1) Type of manifold

~ /I		
	Port 2, 4	
MFS	Manifold body side ported (Ports 1, 3/5 on both sides)	
MFD	Manifold body side ported (Ports 1, 3/5 on one side)	

2 Number of stations

2	2 station
:	:
20	20 station

3 Mountable solenoid valve

V01PV	VA01 series
VUIPV	VAUT Series

4 Manifold specifications

00	Camana an CLID	C	VII
CC	Common SUP.		ΛП

⑤Option

No mark	Standard
В	With bracket

6 Port size of port 2, 4

МЗ	M3×0.5 (Only MFS)
M5	M5×0.8

Blank plate (with 2 screws and a gasket)

Model No.	V24-BP
-----------	--------

Ordering information

To order the valves with the manifold, use the notation described on the right. Specify model numbers and quantities for manifold and valves.


[Example] MFS5-V01PVCC-M5 VA01PSC24-1P—2pcs. VA01PLC24-1P—3pcs.

Ordering instruction

Mountable solenoid valve



1 Function



2 Voltage

1	DC24V

3 Wiring

Case of VA01PSC24, VA01HPSC24

L	Lead wire (For VA01PSC24)
Р	Connector with lead wire, Side outlet (With indicator light & surge suppressor)
U	Connector with lead wire, Upside outlet (With indicator light & surge suppressor)

● Case of VA01PLC24

NPN type

Р	Connector with lead wire, Side outlet (With indicator light & surge suppressor)
U	Connector with lead wire, Upside outlet (With indicator light & surge suppressor)

PNP type

PM	Connector with lead wire, Side outlet (With indicator light & surge suppressor)
UM	Connector with lead wire, Upside outlet (With indicator light & surge suppressor)

4 Wiring accessories


No mark	Without connector
Е	Connector with lead wire (Length:500mm)

Connector with lead wire

Loodw	iro longth	Model No.			
Leau w	ead wire length	PSC	PLC		
500mm		PC2-D24-CL5 (Standard)	PLC2-D24-CL5 (Standard)		
100	0mm	PC2-D24-CL10	PLC2-D24-CL10		
300	0mm	PC2-D24-CL30	PLC2-D24-CL30		


Dimensions

MFS -V01PVCC(B)-M3 (Unit:mm)




Dimensions

MFS -V01PVCC-M5 (Unit:mm)



Dimensions

MFD - V01PVCC(B)-M5 (Unit : mm)



4-port 2-position direct-acting solenoid valve (VA01RSC24/RLC24

Poppet seal/In-line piping type



Specifications

Model No.		Unit	VA01RSC24	VA01HRSC24	VA01RLC24
Fluid				Non-lubricated air	
Port size				M3	
Sonic cond	uctance (C)	dm³/(s·bar)		0.2	
Critical pres	ssure ratio			0.3	
Effective are	ea (Reference)	mm ²		(1)	
Cv value (R	eference)			(0.05)	
Ambient temperature		°C	−5~50		
Pressure range		−100kPa~0.8 MPa			
Response	ON	ms	4.5	3	2
time	OFF	1115	1 (4.5)	1.5	2
Manual ove	rride			Non-lock type push button	
Min. energizing time		ms	_		50
Mounting position				Free	
Shock resistance/vibration resistance		m/s ²	150/30		
Mass		g	2	6.3	28.9

(Note) • Sonic speed conductance, critical pressure ratio, effective area and Cv value shown above are value between port 1 and 4.


- When temperature of valve site gose down below 5°C, complete dry air shall be supplied to prevent from freezing.
- Responce time in bracket () shows with surge suppressor.

Electrical Specifications

Model No.	Unit	VA01RSC24	VA01HRSC24	VA01RLC24
Rated voltage	V		DC24	
Allowable voltage fluctuation	%		±10	
Power consumption	W	2	4	2
Heat resistance grade			JIS grade B	
Wiring		Lead wire, Connector with lead wire	Connector w	vith lead wire
Surge suppressor		Diode	Var	istor
Indicator light			LED	


(Note) • Surge suppressor and indicator light are not available for Lead wire type.

Ordering instruction



Constructions


VA01RSC24



Main components


No.	Description	Material
1	Body	Aluminium alloy
2	Poppet ass'y	_
3	Manual override 14	Copper alloy
4	Manual override 12	Synthetic resins
(5)	Solenoid ass'y	_
7	Valve seat E	Copper alloy
8	Valve seat S	Copper alloy
9	Spring V	Stainless steel
10	Spring	Stainless steel

VA01RLC24




Dimensions

VA01RSC24, VA01HRSC24 (Unit:mm)




Dimensions

VA01RLC24 (Unit:mm)




Most suitable for vacuum and vacuum break in **((** vacuum pump lines !

3-port 3-position direct-acting solenoid valve for vacuum and vacuum break



- 1 : Positive pressure supply port
- 2 : Output port
- 3: Vacuum supply port



Light weight and compact

Body width 10 mm, weight 45 g

One unit works for both vacuum control and vacuum break controls.

Vacuum control valve and vacuum break control valve (pressure : 0.2 MPa max.) are united.

Holds vacuum at intermediate position

Solenoid valve returns to intermediate position at the time of power failure and emergency stop, and holds attraction with vacuum pad.

Quick response time

5 ms response time and stable action at the time of turning on/off

Needle valve for vacuum break flow control


Air flow for vacuum break can be controlled according to work by a needle valve in the flow path for vacuum break.

Manifold is available

Vacuum port for common or individual manifolds are available up to 10 stations.

Manifold with Needle valve for vacuum flow control

Vacuum flow can be controlled according to work by a needle valve in the flow path to each solenoid valve in the manifold.





VA01RDP33 for vacuum break

Poppet seal/In-line piping type



Specifications


Model No.		Unit	VA01RDP33
Fluid			Air
Port size			M5
Flow	Vacuum	ℓ /min (ANR)	10 at -90kPa (Port 3→2)
FIOW	Vacuum break	ℓ /min (ANR)	8 at 0.2MPa (Port 1→2)
Pressure	Vacuum	kPa	-100~0
range	Vacuum break	MPa	0~0.2
Ambient temperature		°C	-10~50
Response time		ms	ON: 5 or less OFF: 5 (20) or less
Rated voltage		V	DC24
Allowable volta	ge fluctuation	%	±10
Heat resista	nce grade		JIS grade B
Power	L type	W	0.5
consumption	P, U type	W	0.55
Wiring			Lead wire, connector with lead wire
Vibration resistance/Shock resistance		m/s ²	150/50
Mass		g	45

(Note) • When using the valve for vacuum break at less than 5 °C by supplying compressed air, use dry air passing through an air dryer to prevent dew condensation and freezing

• Response time in bracket () shows with surge suppressor.

Manifold

Ordering instruction



1 Type of piping R In-line piping

2 Function

3-position closed center DP3 Double solenoid

3Voltage

Bipolar type

DC24V

4Wiring specfications

5 Wiring accessories

No mark	No connector
	Connector with lead wire (Length : 500 mm)

M5 $M5 \times 0.8$

7 For mounting manifold

For mounting manifold (With mounting screws, gasket)

Lead wire L Connector with lead wire, Side outlet Р (With indicator light & surge suppressor) Connector with lead wire, Upside outlet (With indicator light & surge suppressor)

No mark	No connector
Е	Connector with lead wire (Length : 500 mm)

6 Port size

1 Number of stations

_	2 Stations
:	:
10	10 stations
_	•

2 Manifold specifications

CC	Common 1 (Positive prssure), Common 3 (Vacuum)
CI	Common 1 (Positive prssure), Individual 3 (Vacuum)

3 Needle valve for vacuum flow control

MFU 5 - V01R3 CC V -

M5

(4)

4 Port size

M5 $M5 \times 0.8$

No mark	No needle valve
V	Needle valve for vacuum flow control (Only for CC specfication)

(Note) Solenoid valve with needle valve for vacuum flow control is to be made to order.

Dialik plate (V	villi 2 Sciews allu a yaske
Model No.	V33-BP

Connector with lead eire


Lead wire length	Model No.
500mm	PC2-D24-CL5 (Standard)
1000mm	PC2-D24-CL10
3000mm	PC2-D24-CL30



- **CAUTION** Use positive pressure for port 1 within pressure range of 0 to 0.2 MPa. Do not supply vacuum pressure.
 Use vacuum pressure for port 3 within pressure range of –100 to 0 kPa. Do not supply positive pressure.


Dimensions

VA01RDP33 (Unit:mm)




Dimensions

Manifold (Unit:mm)



Dimensions


Manifold (Unit:mm)



Most suitable for vacuum and vacuum break of very small work!

4-port 3-position direct-acting solenoid valve for vacuum and vacuum break

VA01PEP34A



- 1 : Positive pressure supply port
- 2: Output port
- 3: Vacuum supply port
- Y: Atmospheric release port





Light weight and compact Body width 10 mm, weight 56 g

One unit works for both vacuum control and vacuum break controls.

Vacuum control valve and vacuum break control valve (pressure: 0.5MPa max.) are united.

Quick response time

5 ms response time and stable action at the time of turning on/off.

Needle valve for vacuum break flow control

Air flow for vacuum break can be controlled according to work by a needle valve in the flow path for vacuum break.

Atmospheric release mechanism

It serves to release the suction side pressure to the atmospheric air once and then supply air for vacuum break, when doing vacuum break from the vacuum state. This feature will be highly effective for loading and unloading very small work quickly in a stable state.

Manifold is available


Vacuum port for common or individual manifolds are available up to 10 stations.

To customers having the following problemes in pick and place very small work;

- Parts around vacuum-breaking air are blown off, when work is detached.
- Timing of detaching work tends to vary.
- Re-sacking occurs after work is detached.
- Two solenoid valves are required to set up an atmospheric release circuit.




Using VA01PEP34A will cut down these problems.



VA01PEP34A

Poppet seal/Sub-base piping type




Specifications

Model No.		Unit	VA01PEP34A
Fluid		O11110	Air
Port size			M5
Flow	Vacuum	ℓ /min (ANR)	20 at -100kPa (Port 3→2)
	Vacuum break	ℓ /min (ANR)	14 at 0.5MPa (Port 1→2)
Pressure range	Vacuum	kPa	-100~-30
	Vacuum break	MPa	0.05~0.5
Ambient temperature		°C	-10~50
Response time		ms	ON:5 or less OFF:5 or less
Rated voltage		V	DC24
Allowable voltage fluctuation		%	±10
Heat resistance grade			JIS grade B
Power consumption		W	1 (Holding), 2 (Inrush)
Wiring			Lead wire, connector with lead wire
Vibration resistance/Shock resistance		m/s ²	150/30
Mass		g	56

(Note) • When using the valve for vacuum break at less than 5 °C by supplying compressed air, use dry air passing through an air dryer to prevent dew condensation and freezing.

Ordering instruction






- CAUTION Use positive pressure for port 1 within pressure range of 0.05 to 0.5 MPa. Do not supply vacuum pressure.
 - Use vacuum pressure for port 3 within pressure range of -100 to -30 kPa. Do not supply positive pressure.


Dimensions

VA01PEP34A (Unit : mm)




Dimensions

Manifold (Unit:mm)



Dimensions

Manifold (Unit:mm)




For vacuum, positive pressure control/blow off ϵ

Miniature size 4-port 2-position direct-acting solenoid valve

VA05PSC24 Single solenoid, Sub-base piping type VA05RSC24 Single solenoid, In-line piping type



VA05PSC24/RSC24



Compact Large flow

Compact valve (Body width 15mm) is possible to operate large flow (C value 0.7dm³/(s·bar).

Quick response time/Stable operation

Balanced poppets and direct solenoid mechanism make it available for quick and stable response time. Single solenoid type: ON 5.5ms/OFF 3ms. Under the test condition of KURODA Pneumatics.)

Oil free is standardized, and extremely low particle. Clean !!

Double poppets structure, which has no friction parts without lubricating oil, realizes the extremely clean air blow. Furthermore, the direct operated solenoid has no valve breathing and pilot air exhaust, and the valve does not pollute outside environment.

Both vacuum and positive pressure are available.

Balanced poppets structure operates both vacuum and positive pressure (-100kPa~0.8MPa) in one valve.

http://www.parkerkuroda.com/catalogue/va05.pdf

Sales Offices Worldwide

AE – United Arabien Emirates

Tel: +971 4 8875600 parker.me@parker.com

AR – Argentina, Buenos Aires Tel: +54 3327 44 4129

AT – Austria, Wiener Neustadt Tel: +43 (0)2622 23501-0 parker.austria@parker.com

AT – Austria, Wiener Neustadt (Europa Oriental) Tel: +43 (0)2622 23501 970 parker.easteurope@parker.com

AT – Austria, Wiener Neustadt Parker Origa Pneumatik GmbH Tel: +43 2622 26071-269 info-hoat-sales.pn@parker-origa.com

AU – Australia, Castle Hill Tel: +61 (0)2-9634 7777

AZ - Azerbaijan, Baku Tel: +994 50 2233 458 parker.azerbaijan@parker.com

BE/LX - Belgium, Nivelles Tel: +32 (0)67 280 900 parker.belgium@parker.com

BR – Brazil, Cachoeirinha RS Tel: +55 51 3470 9144

BY - Belarus, Minsk Tel: +375 17 209 9399 parker.belarus@parker.com

CA – Canada, Milton, Ontario Tel: +1 905 693 3000

CH – Swiss, Etoy Tel: +41 (0) 21 821 02 30 parker.switzerland@parker.com

CH – Swiss, Otelfingen Parker Origa AG Tel +41 44 846 6860 info-hoch-sales@parker-origa.com

CN – China, Shanghai Tel: +86 21 5031 2525

CZ - Czechia, Klecany Tel: +420 284 083 111 parker.czechrepublic@parker.com

DE - Germany, Kaarst Tel: +49 (0)2131 4016 0 parker.germany@parker.com

DK - Denmark, Ballerup Tel: +45 43 56 04 00 parker.denmark@parker.com

ES – Spain, Madrid Tel: +34 902 33 00 01 parker.spain@parker.com

FI – Finland, Vantaa Tel: +358 (0)20 753 2500 parker.finland@parker.com

FR - France Tel: +33 (0)4 50 25 80 25 parker.france@parker.com FR - France, Courtaboef Cedex Parker Origa SAS Tel +33 1 69 29 22 00 info-hofr-sales@parker-origa.com

GR - Greece, Atenas Tel: +30 210 933 6450 parker.greece@parker.com

HK – Hong Kong Tel: +852 2428 8008

HU – Hungary, Budapest Tel: +36 1 220 4155 parker.hungary@parker.com

IE - Ireland, Dublin Tel: +353 (0)1 466 6370 parker.ireland@parker.com

IN - India, Mumbai Tel: +91 22 6513 7081-85

IT – Italy, Corsico (MI) Tel: +39 02 45 19 21 parker.italy@parker.com

IT – Italy, Pioltello (MI) Parker Origa SRL Tel +39 02 92 16 65 53 info-hoit-sales@parker-origa.com

JP – Japan, Totsuka Tel: +(81) 45 870 1510

KR – Korea, Seúl Tel: +82 2 559 0400

KZ – Kazakhstan, Almaty Tel: +7 7272 505 800 parker.easteurope@parker.com

LV – Latvia, Riga Tel: +371 6 745 2601 parker.latvia@parker.com

MX - Mexico, Apodaca Tel: +52 81 8156 6000

MY - Malaysia, Subang Jaya Tel: +60 3 5638 1476

MY - Malaysia, Penang Parker Origa Sdn Bhd Tel +60 4 508 10 11 info-hosg-sales@parker-origa.com

NL – Netherlands, Oldenzaal Tel: +31 (0)541 585 000 parker.nl@parker.com

NL – Netherlands, SL Moerdijk Parker Origa B.V. Tel +31 168 356 600 info-honl-sales@parker-origa.com

NO - Norway, Ski Tel: +47 64 91 10 00 parker.norway@parker.com

NO – Norway, Drammen Parker Origa AS Tel +47 3 288 08 40 info-hose-sales@parker-origa.com

NZ – New Zealand Mt Wellington Tel: +64 9 574 1744 PL - Poland, Varsovia Tel: +48 (0)22 573 24 00 parker.poland@parker.com

PT – Portugal, Leca da Palmeira Tel: +351 22 999 7360 parker.portugal@parker.com

RO – Romania, Bucarest Tel: +40 21 252 1382 parker.romania@parker.com

RU – Russia, Moscow Tel: +7 495 645-2156 parker.russia@parker.com

SE – Sweden, Spånga Tel: +46 (0)8 59 79 50 00 parker.sweden@parker.com

SE – Sweden, Kungsör Parker Origa AB Tel +46 227 411 00 info-hose-sales@parker-origa.com

SG – Singapor Tel: +65 6887 6300

SG – Singapor Parker Origa PTE Ltd. Tel. +65 6483 2959 info-hose-sales@parker-origa.com

SK – Slovakia, Banská Bystrica Tel: +421 484 162 252 parker.slovakia@parker.com

SI – Slovenia, Novo Mesto Tel: +386 7 337 6650 parker.slovenia@parker.com

TH - Thailand, Bangkok Tel: +662 717 8140

TR - Turkey, Istanbul Tel: +90 216 4997081 parker.turkey@parker.com

TW – Taiwan, Taipei Tel: +886 2 2298 8987

UA - Ukraine, Kiev Tel +380 44 494 2731 parker.ukraine@parker.com

UK – United Kingdom, Gloucester Parker Origa Ltd. Tel +44 8700 600655 info-hogb-sales@parker-origa.com

UK - United Kingdom, Warwick Tel: +44 (0)1926 317 878 parker.uk@parker.com

US – United States of America, Cleveland Tel: +1 216 896 3000

US – United States of AmericaParker Origa Corporation
Tel +1 630 871 830-0
info-hous-sales@parker-origa.com

VE – Venezuela, Caracas Tel: +58 212 238 5422

ZA – South Africa, Kempton Park Tel: +27 (0)11 961 0700 parker.southafrica@parker.com

CAT.No. KPL1001E-a All dimensions subject to alteration without notice.

KURODA Pneumatics Ltd.

c/o Parker Totsuka Technical Center Tel: +81 45 870 1510 626, Totsuka-cho, Totsuka-ku, Fax: +81 45 870 1516 Yokohama, Kanagawa 244-0003 Japan www.parkerkuroda.com

