



Parker TAIYO CAD/DATA 160S-1 BORE20 (FILE=THS16020A/CADNo=160S-1) SCALE=1/1 (HEIGHT=860/WIDTH=1080)			
160S-1 6SD20N10 	160S-1 6LD20N10 	160S-1 6FA20N10 	160S-1 6FB20N10
160S-1 6SD20N15 	160S-1 6LD20N15 	160S-1 6FA20N15 	160S-1 6FB20N15
100S-1D 6SD20N10 	160S-1D 6LD20N10 	160S-1D 6FA20N10 	160S-1*T/160S-1D*T
100S-1D 6SD20N15 	160S-1D 6LD20N15 	160S-1D 6FA20N15 	


160S-1 6SD25N10




160S-1 6LD25N10




160S-1 6FA25N10




160S-1 6FB25N10




160S-1 6SD25N15




160S-1 6LD25N15




160S-1 6FA25N15




160S-1 6FB25N15




160S-1D 6SD25N10




160S-1D 6LD25N10




160S-1D 6FA25N10




160S-1*T/160S-1D*T




160S-1D 6SD25N15




















160S-1D 6LD25N15



160S-1D 6FA25N15


































Parker TAIYO CAD/DATA 160S-1 BORE32 (FILE=THS16032A/CADNo=160S-1) SCALE=1/1 (HEIGHT=1550/WIDTH=3000)				
160S-1*SD  TAIYO 160S-1 6SD32N10	160S-1*SR  TAIYO 160S-1 6SR32N10	160S-1*SH  TAIYO 160S-1 6SH32N10	160S-1*LA  TAIYO 160S-1 6LA32N10	160S-1*LU  TAIYO 160S-1 6LU32N10
160S-1*LD  TAIYO 160S-1 6LD32N10	160S-1*FA  TAIYO 160S-1 6FA32N10	160S-1*FB  TAIYO 160S-1 6FB32N10		
160S-1D*SD  TAIYO 160S-1D 6SD32N10	160S-1D*LA  TAIYO 160S-1D 6LA32N10	160S-1D*LD  TAIYO 160S-1D 6LD32N10	160S-1*FA  TAIYO 160S-1D 6FA32N10	160S-1*T/160S-1D*T 
160S-1*SD (Stroke=15-80) (With Cushion)  TAIYO 160S-1 6SD32H15	160S-1*LD (Stroke=15-80) (With Cushion)  TAIYO 160S-1 6LD32H15	160S-1*FA (Stroke=15-80) (With Cushion)  TAIYO 160S-1 6FA32H15	160S-1*FB (Stroke=15-80) (With Cushion)  TAIYO 160S-1 6FB32H15	
















Parker TAIYO CAD/DATA


















160S-1R BORE32 (FILE=THS16032B/CADNo=160S-1)

SCALE=1/1 (HEIGHT=1550/WIDTH=2400)

160S-1R*SD  TAIYO 160S-1R 6SD32N10-*	160S-1R*LD  TAIYO 160S-1R 6LD32N10-*	160S-1R*FA  TAIYO 160S-1R 6FA32N10-*	160S-1R*FB  TAIYO 160S-1R 6FB32N10-*
160S-1RD*SD  TAIYO 160S-1RD 6SD32N10-*	160S-1RD*LD  TAIYO 160S-1RD 6LD32N10-*	160S-1RD*FA  TAIYO 160S-1RD 6FA32N10-*	160S-1*T/160S-1D*T 
160S-1R*SD (Stroke=15-80) (With Cushion)  TAIYO 160S-1R 6SD32H15-*	160S-1R*LD (Stroke=15-80) (With Cushion)  TAIYO 160S-1R 6LD32H15-*	160S-1R*FA (Stroke=15-80) (With Cushion)  TAIYO 160S-1R 6FA32H15-*	160S-1R*FB (Stroke=15-80) (With Cushion)  TAIYO 160S-1R 6FB32H15-*
AZ Switch  TAIYO 160S-1R Bore 32 AZ Switch	WR525/WS235 Switch  TAIYO 160S-1R Bore 32 WR525/WS235	WR535/WS245 Switch  TAIYO 160S-1R Bore 32 WR535/WS245	

Parker TAIYO CAD/DATA 160S-1 BORE40 (FILE=THS16040A/CADNo=160S-1) SCALE=1/1 (HEIGHT=1550/WIDTH=3250)				
160S-1*SD 	160S-1*SR 	160S-1*SH 	160S-1*LA 	160S-1*LU 
160S-1*LD 	160S-1*FA 	160S-1*FB 		
160S-1D*SD 	160S-1D*LA 	160S-1D*LD 	160S-1D*FA 	160S-1*T/160S-1D*T 
160S-1*SD (Stroke=15-80) (With Cushion) 	160S-1*LD (Stroke=15-80) (With Cushion) 	160S-1*FA (Stroke=15-80) (With Cushion) 	160S-1*FB (Stroke=15-80) (With Cushion) 	

Parker TAIYO CAD/ DATA 160S-1R BORE40 (FILE=THS16040B/CADNo=160S-1) SCALE=1/1 (HEIGHT=1550/WIDTH=2600)			
160S-1R*SD  TAIYO 160S-1R 6SD40N10-*	160S-1R*LD  TAIYO 160S-1R 6LD40N10-*	160S-1R*FA  TAIYO 160S-1R 6FA40N10-*	160S-1R*FB  TAIYO 160S-1R 6FB40N10-*
160S-1RD*SD  TAIYO 160S-1RD 6SD40N10-*	160S-1RD*LD  TAIYO 160S-1RD 6LD40N10-*	160S-1RD*FA  TAIYO 160S-1RD 6FA40N10-*	160S-1*T/160S-1D*T 
160S-1R*SD (Stroke=15-80) (With Cushion)  TAIYO 160S-1R 6SD40H15-*	160S-1R*LD (Stroke=15-80) (With Cushion)  TAIYO 160S-1R 6LD40H15-*	160S-1R*FA (Stroke=15-80) (With Cushion)  TAIYO 160S-1R 6FA40H15-*	160S-1R*FB (Stroke=15-80) (With Cushion)  TAIYO 160S-1R 6FB40H15-*
AZ Switch  TAIYO 160S-1R Bore 40 AZ Switch	WR525/WS235 Switch  TAIYO 160S-1R Bore 40 WR525/WS235	WR535/WS245 Switch  TAIYO 160S-1R Bore 40 WR535/WS245	


Parker TAIYO CAD/DATA 160S-1 BORE50 (FILE=THS16050A/CADNo=160S-1) SCALE=1/1 (HEIGHT=1750/WIDTH=3250)				
160S-1*SD  TAIYO 160S-1 6SD50N10	160S-1*SR  TAIYO 160S-1 6SR50N10	160S-1*SH  TAIYO 160S-1 6SH50N10	160S-1*LA  TAIYO 160S-1 6LA50N10	160S-1*LU  TAIYO 160S-1 6LU50N10
160S-1*LD  TAIYO 160S-1 6LD50N10	160S-1*FA  TAIYO 160S-1 6FA50N10	160S-1*FB  TAIYO 160S-1 6FB50N10		
160S-1D*SD  TAIYO 160S-1D 6SD50N10	160S-1D*LA  TAIYO 160S-1D 6LA50N10	160S-1D*LD  TAIYO 160S-1D 6LD50N10	160S-1D*FA  TAIYO 160S-1D 6FA50N10	160S-1*T/160S-1D*T 
160S-1*SD (Stroke=15-80) (Wiht Cushion)  TAIYO 160S-1 6SD50N15	160S-1*LD (Stroke=15-80) (Wiht Cushion)  TAIYO 160S-1 6LD50N15	160S-1*FA (Stroke=15-80) (Wiht Cushion)  TAIYO 160S-1 6FA50N15	160S-1*FB (Stroke=15-80) (Wiht Cushion)  TAIYO 160S-1 6FB50N15	

Parker TAIYO CAD/DATA


160S-1R BORE50 (FILE=THS16050B/CADNo=160S-1)

SCALE=1/1 (HEIGHT=1750/WIDTH=2600)


160S-1R*SD




160S-1R*LD




160S-1R*FA




160S-1R*FB




160S-1RD*SD




160S-1RD*LD




160S-1RD*FA




160S-1*T/160S-1D*T




160S-1R*SD (Stroke=15-80)
(With Cushion)




160S-1R*LD (Stroke=15-80)
(With Cushion)




160S-1R*FA (Stroke=15-80)
(With Cushion)




160S-1R*FB (Stroke=15-80)
(With Cushion)




AZ Switch



WR525/WS235 Switch




WR535/WS245 Switch




Parker TAIYO CAD/ DATA 160S-1 BORE 63 (FILE=THS16063A/CADNo=160S-1) SCALE=1/1 (HEIGHT=1950/WIDTH=3250)				
160S-1*SD TAIYO 160S-1 6SD63N10	160S-1*SR TAIYO 160S-1 6SR63N10	160S-1*SH TAIYO 160S-1 6SH63N10	160S-1*LA TAIYO 160S-1 6LA63N10	160S-1*LU TAIYO 160S-1 6LU63N10
160S-1*LD TAIYO 160S-1 6LD63N10	160S-1*FA TAIYO 160S-1 6FA63N10	160S-1*FB TAIYO 160S-1 6FB63N10		
160S-1D*SD TAIYO 160S-1D 6SD63N10	160S-1D*LA TAIYO 160S-1D 6LA63N10	160S-1D*LD TAIYO 160S-1D 6SD63N10	160S-1D*FA TAIYO 160S-1D 6FA63N10	160S-1*T/160S-1D*T
160S-1*SD (Stroke=15-80) (With Cushion) TAIYO 160S-1 6SD63N15	160S-1*LD (Stroke=15-80) (With Cushion) TAIYO 160S-1 6LD63N15	160S-1*FA (Stroke=15-80) (With Cushion) TAIYO 160S-1 6FA63N15	160S-1*FB (Stroke=15-80) (With Cushion) TAIYO 160S-1 6FB63N15	


160S-1R*SD




160S-1R*LD




160S-1R*FA




160S-1R*FB




160S-1RD*SD




160S-1RD*LD




160S-1RD*FA




160S-1*T/160S-1D*T




160S-1R*SD (Stroke=15-80)
(With Cushion)




160S-1R*LD (Stroke=15-80)
(With Cushion)




160S-1R*FA (Stroke=15-80)
(With Cushion)




160S-1R*FB (Stroke=15-80)
(With Cushion)




AZ Switch

















WR525/WS235 Switch


















WR535/WS245 Switch




Parker TAIYO CAD/DATA
160S-1 BORE80 (FILE=THS16080A/CADNo=160S-1)
SCALE=1/1 (HEIGHT=2150/WIDTH=3400)

160S-1*SD  TAIYO 160S-1 6SD80N10	160S-1*SR  TAIYO 160S-1 6SR80N10	160S-1*SH  TAIYO 160S-1 6SH80N10	
160S-1*LD  TAIYO 160S-1 6LD80N10	160S-1*FA  TAIYO 160S-1 6SD80N10	160S-1*FB  TAIYO 160S-1 6FB80N10	
160S-1D*SD  TAIYO 160S-1D 6SD80N10	160S-1D*LD  TAIYO 160S-1D 6SD80N10	160S-1D*FA  TAIYO 160S-1D 6FA80N10	160S-1*T/160S-1D*T 
160S-1R*SD (Stroke=15-80) (with Cushion)  TAIYO 160S-1 6SD80H15	160S-1R*LD (Stroke=15-80) (with Cushion)  TAIYO 160S-1 6LD80H15	160S-1R*FA (Stroke=15-80) (with Cushion)  TAIYO 160S-1 6FA80H15	160S-1R*FB (Stroke=15-80) (with Cushion)  TAIYO 160S-1 6FB80H15





Parker TAIYO CAD/DATA
160S-1 BORE100 (FILE=THS16100A/CADNo=160S-1)
SCALE=1/1 (HEIGHT=1080/WIDTH=1600)

160S-1*SD




TAIYO 160S-1 6SD100N10





96+Stroke (10)=106

160S-1D*SD





TAIYO 160S-1D 6SD100N10



108+Stroke (10)=118 26+Stroke (10)=36


160S-1*T / 160S-1D*T





26+Stroke (10)=36

Parker TAIYO CAD / DATA
160S-1 BORE125 (FILE=THS16125A / CADNo=160S-1)
SCALE=1 / 1 (HEIGHT=1300 / WIDTH=1600)


160S-1*SD





TAIYO 160S-1 6SD125N10



160S-1D*SD



TAIYO 160S-1D 6SD125N10



160S-1*T / 160S-1D*T

